User Manual for Lansenxi LS11 Foldable WiFi FPV Drone with 4K HD Dual Camera & Remote Control



Specifications

- Model: LS11

- Remote controller: 2.4GHz WiFi, smartphone

- Control distance: up to 100m (using RC)

- Cameras: 4K HD front and bottom

- Field of view: 120 degrees (wide-angle)

- Motor: 816 core-less

- Drone battery: 1800mAh 3.7V


- Flying time: from 18 to 25 minutes

- Remote controller battery: 3x AA 1.5V batteries (not included)

- Charging time: about 90 minutes

- Drone size(folded): 14cm x 15cm x 6cm

- Drone size(unfolded): 22cm x 25cm x 6cm



- 1. On/Off
- 2. Switch
- 3. High-speed gear
- 4. Hands-free mode
- 5. Throttle control
- 6. Take-off button
- 7. Landing button

- 8. Rolling button
- 9. Right fine-tuning
- 10. Left fine-tuning
- 11. Direction control
- 12. Forward fine-tuning
- 13. Back fine-tuning


Batteries installation

To install the batteries to the remote controller open the battery cover on the back of the remote. Insert three 1.5V AA batteries in accordance with the instructions on the battery box.


To battery of the drone is rechargeable so follow the next steps to charge it correctly:

- 1) Insert the included USB cable into the USB port of the computer or power adapter (not included) and the indicator will light up.
- 2) Remove the battery from the drone and connect the battery plug to the USB charging cable.
- 3) The indicator on the battery will light up and it will turn off when the battery is charged.

The operation and control of the drone



The left analog controls the rising and falling of the drone and also turning the drone left and right.



The right analog controls moving the drone forward and backward and also flying to the right and to the left.

There are two speeds of flying: low level (30%) and high level (100%). You can change the flying speed mode using the switch button.